



Mono

GSM530-550M12-110

Maximum efficiency



21.05% conversion efficiency
Better shading tolerance

Positive features



Multi Bar highlight efficiency
0~+5W power tolerance

Sever quality control




100% EL strict examination
PID resistant and free of snail trails

Outstanding environment resistance



3600Pa wind load
5400Pa snow load

Superior Warranty




Introduction

Great Solar, established in 2010, is a global leading professional PV module manufacturer, our products have been applied in residential, commercial and grounding solar photovoltaic power plant systems. Great Solar produces high-performance solar products, provides whole system solutions and technical support for best serving clients. We dedicate to satisfy clients' requirements in high quality solar panels for maximumly improving customers' revenue.



MECHANICAL DIAGRAMS



SPECIFICATIONS

Cell	Monocrystalline
NO. of Cells	110(5x22) Solar Cells
Frame	Anodized Aluminum Alloy
Glass	3.2mm Tempered Glass
Junction Box	IP68 Rated
Connector	MC4 Compatible
Dimension	2384x1096x35mm
Weight	29 kg
Packing	155/20GP,620/40HQ

ELECTRIC CHARACTERISTICS

Model	GSM530M12-110	GSM535M12-110	GSM540M12-110	GSM545M12-110	GSM550M12-110
Max-power Pm(W)	530	535	540	545	550
Open-circuit voltage Voc(V)	37.38	37.58	37.78	38.02	38.24
Open-circuit current Isc(A)	18.08	18.13	18.18	18.23	18.28
Max-power voltage Vmp(V)	31.06	31.26	31.46	31.66	31.86
Max-power current Imp(A)	17.07	17.12	17.17	17.22	17.27

STC: Irradiance 1000W/m², Cell Temperature 25±2°C, Air Mass 1.5

TEMPERATURE AND COEFFICIENTS

OPERATING CONDITIONS

Nominal Module Operating Temperature	43±2°C	Operating Temperature	-40~ + 85°C
Temperature Coefficient Of Pmax (%/°C)	-0.34	Storage Temperature	-40~ + 85°C
Temperature Coefficient Of Voc (%/°C)	-0.25	Maximum Series Fuse Rating	30A
Temperature Coefficient Of Isc (%/°C)	0.048	Maximum System Voltage	DC1500V



Add: 56-1 Hundsun Science & Technology Park, Tianning District, Changzhou, Jiangsu, China

Email: info@great-solar.com

Web: www.great-solar.com

Tel: 0086-519-89962158

Fax: 0086-519-89962159